

# KÄFER MESSUHRENFABRIK GMBH & CO. KG

HAHNSTRASSE 11 · DE-78054 VILLINGEN-SCHWENNINGEN  
Postfach 3380 · DE-78022 VILLINGEN-SCHWENNINGEN

Telefon +49 (0)77 20 / 83 41-0 · Telefax +49 (0)77 20 / 2 18 68

e-mail: [info@kaefer-messuhren.de](mailto:info@kaefer-messuhren.de)

Internet: [www.kaefer-messuhren.de](http://www.kaefer-messuhren.de)

## Pricelist

for

### Dial Gauges and Measuring Instruments

Edition July 2009

## Dial Gauges

Model	Item No.	EURO
<b>Reading 0,1 mm</b>		
Dial Gauge <b>KM 5 a</b> .....	10121	46,00
Dial Gauge <b>KM 10 a</b> .....	10146	47,00
Dial Gauge <b>KM 5 aR</b> with back plunger .....	10242	83,15
Dial Gauge <b>M 10 a</b> .....	10062	36,30
Dial Gauge <b>M 10 b</b> .....	10063	42,90
Dial Gauge <b>M 10 c</b> .....	10064	43,80
Dial Gauge <b>M 10 d</b> .....	10065	112,50
Dial Gauge <b>M 10/5 R</b> with back plunger .....	10241	83,15
Dial Gauge <b>SI-9/0,1</b> .....	10144	43,45
Dial Gauge <b>GM 10/80</b> .....	10069	66,65
Dial Gauge <b>GM 10/100</b> .....	10074	80,15
<b>Reading 0,01 mm</b>		
Dial Gauge <b>MU 28</b> .....	10169	63,35
Dial Gauge <b>KM 6 T</b> .....	10013	52,45
Dial Gauge <b>KM 4 T</b> .....	10006	43,90
Dial Gauge <b>KM 4 T - 100</b> .....	10228	47,60
Dial Gauge <b>KM 4 TOP</b> .....	10153	34,60
Dial Gauge <b>KM 4 X</b> .....	10009	32,40
Dial Gauge <b>KM 4 S</b> shockproof .....	10002	55,90
Dial Gauge <b>KM 4 S-100</b> shockproof .....	10230	60,10
Dial Gauge <b>KM 4 TOP S</b> shockproof .....	10155	43,40
Dial Gauge <b>KM 4 XS</b> shockproof .....	10118	40,35
Dial Gauge <b>KM 4/5 T</b> .....	10011	43,90
Dial Gauge <b>KM 4/5 T- 100</b> .....	10229	47,60
Dial Gauge <b>KM 4/5 TOP</b> .....	10154	34,60
Dial Gauge <b>KM 4/5 X</b> .....	10012	32,40
Dial Gauge <b>KM 4/5 S</b> shockproof .....	10010	55,90
Dial Gauge <b>KM 4/5 S - 100</b> shockproof .....	10231	60,10
Dial Gauge <b>KM 4/5 TOP S</b> shockproof .....	10156	43,40
Dial Gauge <b>KM 4/5 XS</b> shockproof .....	10120	40,35
Dial Gauge <b>KM 4/10 TK- 100</b> .....	10248	59,00
Dial Gauge <b>KM 4 R</b> with back plunger .....	10001	80,80
Dial Gauge <b>KM 4/5 R</b> with back plunger .....	10138	85,10
Dial Gauge <b>SI-45</b> with overtravel .....	10005	57,60
Dial Gauge <b>SI-45/0,8</b> with overtravel .....	10178	59,60
Dial Gauge <b>SI-45 R</b> with back plunger .....	10123	91,40
Dial Gauge <b>SI-45/0,8 R</b> with back plunger .....	10237	93,50
Dial Gauge <b>SI-45 W</b> waterproof .....	10140	84,95
Dial Gauge <b>KM 4 SW</b> waterproof .....	10126	84,95
Dial Gauge <b>KM 4/5 SW</b> waterproof .....	10181	84,95
Dial Gauge <b>KM 4 S wa</b> water-protected .....	10004	71,95
Dial Gauge <b>KM 4 T Magnet</b> with magnetic back .....	10147	86,10
Dial Gauge <b>M 2 T</b> .....	10021	37,50
Dial Gauge <b>M 2 T</b> with counter clockwise dial reading .....	10225	40,50
Dial Gauge <b>M 2 T</b> with fixing screw for the bezel .....	10257	45,50
Dial Gauge <b>M 2 T</b> with balanced dial .....	10258	40,50
Dial Gauge <b>M 2 T</b> with increased measuring force .....	10259	46,50
Dial Gauge <b>M 2 T</b> with reduced measuring force .....	10260	46,50
Dial Gauge <b>M 2 T</b> with stem on both sides .....	10261	67,50
Dial Gauge <b>M 2 T</b> with reverse spring traction .....	10255	45,50
Dial Gauge <b>MU 52 T</b> .....	10253	25,00
Dial Gauge <b>M 2 TK</b> with concentric mm-pointer .....	10022	47,60
Dial Gauge <b>M 2 TOP</b> .....	10142	30,50



## Dial Gauges

Model	Item No.	EURO
Dial Gauge <b>M 2 X</b> .....	10027	27,50
Dial Gauge <b>M 2 S</b> shockproof, with fine adjustment of the pointer .....	10016	68,60
Dial Gauge <b>M 2 SN</b> shockproof .....	10017	52,80
Dial Gauge <b>M 2/10 S</b> shockproof .....	10111	44,90
Dial Gauge <b>MU 52 ST</b> shockproof .....	10254	30,00
Dial Gauge <b>M 2 TOP S</b> shockproof .....	10143	36,00
Dial Gauge <b>M 2 XS</b> shockproof .....	10117	33,20
Dial Gauge <b>M 3 T</b> .....	10033	50,70
Dial Gauge <b>M 3 S</b> shockproof .....	10032	61,80
Dial Gauge <b>M 2/20 T</b> .....	10026	75,50
Dial Gauge <b>M 2/20 S</b> shockproof .....	10238	83,00
Dial Gauge <b>M 2/25 T</b> .....	10274	75,50
Dial Gauge <b>M 2/25 S</b> shockproof .....	10275	83,50
Dial Gauge <b>M 2/30 T</b> .....	10029	77,50
Dial Gauge <b>MU 52/30 T</b> .....	10271	69,50
Dial Gauge <b>M 2/30 T</b> anticlockwise dial .....	10226	80,50
Dial Gauge <b>M 2/30 S</b> shockproof .....	10028	85,00
Dial Gauge <b>MU 52/30 S</b> shockproof .....	10272	77,00
Dial Gauge <b>M 2/50 T</b> .....	10031	108,50
Dial Gauge <b>M 2/50 T</b> anticlockwise dial .....	10227	111,50
Dial Gauge <b>M 2/50 S</b> shockproof .....	10030	116,50
Dial Gauge <b>M 2/80 T</b> .....	10112	222,50
Dial Gauge <b>M 2/80 S</b> shockproof .....	10170	230,50
Dial Gauge <b>M 2/100 T</b> .....	10235	282,50
Dial Gauge <b>M 1 T</b> without revolution counter .....	10014	42,90
Dial Gauge <b>M 2 R</b> with back plunger .....	10015	80,80
Dial Gauge <b>M 2/5 R</b> with back plunger .....	10137	85,10
Dial Gauge <b>SI-90</b> with overtravel .....	10020	52,80
Dial Gauge <b>M 2 TOP SI</b> with overtravel .....	10239	36,40
Dial Gauge <b>SI-90 X</b> with overtravel .....	10119	35,90
Dial Gauge <b>MU 52 ST - SI</b> with overtravel .....	10273	33,00
Dial Gauge <b>SI-90 R</b> with overtravel, back plunger .....	10122	90,30
Dial Gauge <b>SI-90 W</b> with overtravel .....	10139	84,95
Dial Gauge <b>SI-100</b> with overtravel .....	10232	52,80
Dial Gauge <b>SI-50</b> with overtravel .....	10249	52,80
Dial Gauge <b>SI-18</b> with overtravel .....	10019	52,80
Dial Gauge <b>SI-18 R</b> with overtravel, back plunger .....	10240	88,80
Dial Gauge <b>M 2 SW</b> waterproof .....	10127	84,95
Dial Gauge <b>M 2/30 SW</b> waterproof .....	10163	147,50
Dial Gauge <b>M 2 S wa</b> water-protected .....	10018	71,95
Dial Gauge <b>M 2/30 S wa</b> water-protected .....	10187	134,50
Dial Gauge <b>M 2 T Magnet</b> with magnetic back .....	10023	82,90
Dial Gauge <b>GM 80 T</b> .....	10037	82,85
Dial Gauge <b>GM 80 S</b> shockproof .....	10036	93,65
Dial Gauge <b>GM 80 SW</b> waterproof .....	10251	140,50
Dial Gauge <b>GM 80/30 T</b> .....	10038	123,50
Dial Gauge <b>GM 80/50 T</b> .....	10039	156,50
Dial Gauge <b>GM 80/100 T</b> .....	10040	291,50
Dial Gauge <b>GM 80/100 S</b> shockproof .....	10141	300,50
Dial Gauge <b>GM 100 T</b> .....	10042	95,85
Dial Gauge <b>GM 100 S</b> shockproof .....	10041	109,50
Dial Gauge <b>GM 100/30 T</b> .....	10043	138,50
Dial Gauge <b>GM 100/50 T</b> .....	10044	172,50



## Dial Gauges

Model	Item No.	EURO
<b>Reading 0,005 mm</b>		
Dial Gauge <b>M 3 a T</b> .....	<b>10035</b>	<b>50,70</b>
Dial Gauge <b>M 3 a S</b> shockproof .....	<b>10034</b>	<b>61,80</b>
Dial Gauge <b>M 3 a SI</b> with overtravel .....	<b>10180</b>	<b>61,80</b>
<b>Reading 0,002 mm</b>		
Dial Gauge <b>KM 500 T</b> .....	<b>10130</b>	<b>88,40</b>
Dial Gauge <b>KM 500 S</b> shockproof .....	<b>10131</b>	<b>93,60</b>
Dial Gauge <b>KM 500 SW</b> waterproof .....	<b>10128</b>	<b>124,50</b>
Dial Gauge <b>KM 500 SI</b> with overtravel .....	<b>10244</b>	<b>93,60</b>
Dial Gauge <b>Feinika KM 1102</b> with extra accurate movement .....	<b>10276</b>	<b>145,50</b>
Dial Gauge <b>KM 500 R</b> with back plunger .....	<b>10125</b>	<b>124,50</b>
Dial Gauge <b>FM 500 T</b> .....	<b>10052</b>	<b>86,30</b>
Dial Gauge <b>Feinika FM 1102</b> with extra accurate movement .....	<b>10277</b>	<b>145,50</b>
Dial Gauge <b>FM 500 SI</b> with overtravel .....	<b>10179</b>	<b>102,00</b>
Dial Gauge <b>FM 500 R</b> with back plunger .....	<b>10245</b>	<b>127,50</b>
<b>Reading 0,001 mm</b>		
Dial Gauge <b>KM 1000 T</b> .....	<b>10051</b>	<b>88,40</b>
Dial Gauge <b>KM 1000 S</b> shockproof .....	<b>10049</b>	<b>93,60</b>
Dial Gauge <b>KM 1000 S wa</b> water-protected .....	<b>10050</b>	<b>115,50</b>
Dial Gauge <b>KM 1000 SI</b> with overtravel .....	<b>10243</b>	<b>93,60</b>
Dial Gauge <b>KM 1000 R</b> with back plunger .....	<b>10236</b>	<b>124,50</b>
Dial Gauge <b>Feinika KM 1101</b> with extra accurate movement .....	<b>10165</b>	<b>145,50</b>
Dial Gauge <b>Feinika KM 1101 W</b> with extra accurate movement, waterproof .....	<b>10182</b>	<b>183,50</b>
Dial Gauge <b>Feinika SI-910</b> with extra accurate movement .....	<b>10233</b>	<b>145,50</b>
Dial Gauge <b>Feinika SI-914</b> with extra accurate movement .....	<b>10166</b>	<b>145,50</b>
Dial Gauge <b>FM 1000 T</b> .....	<b>10058</b>	<b>86,30</b>
Dial Gauge <b>FM 1000 T</b> with fixing screw for the bezel .....	<b>10262</b>	<b>94,30</b>
Dial Gauge <b>FM 1000 T</b> with reverse spring traction .....	<b>10263</b>	<b>94,30</b>
Dial Gauge <b>FM 1000 T</b> with counter clockwise dial reading .....	<b>10264</b>	<b>89,30</b>
Dial Gauge <b>FM 1000 T</b> with balanced dial .....	<b>10265</b>	<b>89,30</b>
Dial Gauge <b>FM 1000 T</b> with increased measuring force .....	<b>10266</b>	<b>95,30</b>
Dial Gauge <b>FM 1000 T</b> with reduced measuring force .....	<b>10267</b>	<b>95,30</b>
Dial Gauge <b>FM 1000 T</b> with stem on both sides .....	<b>10268</b>	<b>116,30</b>
Dial Gauge <b>FM 1000 S</b> shockproof .....	<b>10053</b>	<b>101,00</b>
Dial Gauge <b>FM 1000/5 T</b> .....	<b>10059</b>	<b>91,60</b>
Dial Gauge <b>FM 1000/5 S</b> shockproof .....	<b>10056</b>	<b>110,50</b>
Dial Gauge <b>SI-180</b> with overtravel .....	<b>10055</b>	<b>101,00</b>
Dial Gauge <b>FM 1000 SW</b> waterproof .....	<b>10129</b>	<b>134,50</b>
Dial Gauge <b>FM 1000/5 SW</b> waterproof .....	<b>10148</b>	<b>145,50</b>
Dial Gauge <b>FM 1000 S wa</b> water-protected .....	<b>10054</b>	<b>124,50</b>
Dial Gauge <b>FM 1000/5 S wa</b> water-protected .....	<b>10057</b>	<b>132,50</b>
Dial Gauge <b>FM 1000 R</b> with back plunger .....	<b>10124</b>	<b>127,50</b>
Dial Gauge <b>Feinika FM 1101</b> with extra accurate movement .....	<b>10167</b>	<b>145,50</b>
Dial Gauge <b>Feinika FM 1101 W</b> with extra accurate movement, waterproof .....	<b>10183</b>	<b>183,50</b>
Dial Gauge <b>Feinika SI-915</b> with extra accurate movement .....	<b>10168</b>	<b>145,50</b>
Dial Gauge <b>Feinika SI-916</b> with extra accurate movement .....	<b>10234</b>	<b>145,50</b>
Dial Gauge <b>Feinika SI-918</b> with extra accurate movement .....	<b>10184</b>	<b>145,50</b>
Dial Gauge <b>FM 1000/80 T</b> .....	<b>10060</b>	<b>125,50</b>
Dial Gauge <b>FM 1000/80 S</b> shockproof .....	<b>10113</b>	<b>140,50</b>
Dial Gauge <b>FM 1000/80-5 T</b> .....	<b>10061</b>	<b>130,50</b>
Dial Gauge <b>FM 1000/80-5 S</b> shockproof .....	<b>10114</b>	<b>146,50</b>



## Dial Gauges



Model	Item No.	EURO
<b>Inch Reading .001"</b>		
Dial Gauge <b>KZO 6 T</b> .....	<b>10190</b>	<b>51,20</b>
Dial Gauge <b>KZ 6 T</b> .....	<b>10204</b>	<b>51,20</b>
Dial Gauge <b>KZO 4 T</b> .....	<b>10082</b>	<b>44,80</b>
Dial Gauge <b>KZO 4 TOP</b> .....	<b>10157</b>	<b>35,30</b>
Dial Gauge <b>KZ 4/5 Sb</b> shockproof .....	<b>10205</b>	<b>56,50</b>
Dial Gauge <b>KZO 4 R</b> with back plunger .....	<b>10186</b>	<b>80,80</b>
Dial Gauge <b>KZ 4/5 Rb</b> with back plunger .....	<b>10207</b>	<b>85,10</b>
Dial Gauge <b>KZ 4 SI</b> with overtravel .....	<b>10206</b>	<b>57,60</b>
Dial Gauge <b>KZO 4/5 SW</b> waterproof .....	<b>10192</b>	<b>84,95</b>
Dial Gauge <b>KZ 4/5 SWb</b> waterproof .....	<b>10208</b>	<b>84,95</b>
Dial Gauge <b>Z 1 Ta</b> .....	<b>10085</b>	<b>44,30</b>
Dial Gauge <b>Z 1 Tb</b> .....	<b>10086</b>	<b>44,30</b>
Dial Gauge <b>Z 2 Ta</b> .....	<b>10087</b>	<b>46,50</b>
Dial Gauge <b>Z 2 Tb</b> .....	<b>10088</b>	<b>46,50</b>
Dial Gauge <b>ZMU 52 T</b> .....	<b>10269</b>	<b>26,50</b>
Dial Gauge <b>Z 2/8 SNb</b> shockproof .....	<b>10209</b>	<b>53,40</b>
Dial Gauge <b>Z 0 1 T</b> .....	<b>10084</b>	<b>46,00</b>
Dial Gauge <b>Z 0 2 T</b> .....	<b>10109</b>	<b>46,00</b>
Dial Gauge <b>Z 0 2 TOP</b> .....	<b>10185</b>	<b>31,90</b>
Dial Gauge <b>Z 0 2 S</b> shockproof, with fine adjustment of the pointer .....	<b>10162</b>	<b>69,20</b>
Dial Gauge <b>SI-90 Z</b> with overtravel .....	<b>10191</b>	<b>53,40</b>
Dial Gauge <b>Z 2 SI</b> with overtravel .....	<b>10211</b>	<b>53,40</b>
Dial Gauge <b>ZO 2/30 T</b> .....	<b>10193</b>	<b>77,70</b>
Dial Gauge <b>Z 2/30 Ta</b> .....	<b>10089</b>	<b>77,70</b>
Dial Gauge <b>ZMU 2/30 T</b> .....	<b>10270</b>	<b>55,00</b>
Dial Gauge <b>ZO 2/50 T</b> .....	<b>10194</b>	<b>108,50</b>
Dial Gauge <b>Z 2/50 Ta</b> .....	<b>10090</b>	<b>108,50</b>
Dial Gauge <b>Z 2/100 T</b> .....	<b>10210</b>	<b>282,50</b>
Dial Gauge <b>GZ 80/100 T</b> .....	<b>10097</b>	<b>289,50</b>
<b>Inch Reading .0005"</b>		
Dial Gauge <b>KZ 3/5 Sb</b> shockproof .....	<b>10212</b>	<b>56,50</b>
Dial Gauge <b>KZ 3 SI</b> with overtravel .....	<b>10213</b>	<b>57,60</b>
Dial Gauge <b>Z 3 Ta</b> .....	<b>10094</b>	<b>50,20</b>
Dial Gauge <b>Z 3 Tb</b> .....	<b>10095</b>	<b>50,20</b>
Dial Gauge <b>Z 3/0,4 SNb</b> shockproof .....	<b>10214</b>	<b>53,40</b>
Dial Gauge <b>Z 0 3 T</b> .....	<b>10092</b>	<b>46,00</b>
Dial Gauge <b>Z 0 3 X</b> .....	<b>10093</b>	<b>33,00</b>
Dial Gauge <b>Z 0 3 S</b> shockproof, with fine adjustment of the pointer .....	<b>10091</b>	<b>69,20</b>
Dial Gauge <b>Z 0 3 R</b> with back plunger .....	<b>10197</b>	<b>80,80</b>
Dial Gauge <b>Z 3/5 Rb</b> with back plunger .....	<b>10215</b>	<b>85,10</b>
Dial Gauge <b>Z 0 3/5 R</b> with back plunger .....	<b>10198</b>	<b>85,10</b>
Dial Gauge <b>FZ3 SI</b> with overtravel .....	<b>10217</b>	<b>53,40</b>
Dial Gauge <b>Z 0 3 SNW</b> waterproof .....	<b>10199</b>	<b>84,95</b>
Dial Gauge <b>Z 3 SNW</b> waterproof .....	<b>10216</b>	<b>84,95</b>
Dial Gauge <b>ZO 3/30 T</b> .....	<b>10195</b>	<b>77,70</b>
Dial Gauge <b>Z 3/30 Ta</b> .....	<b>10115</b>	<b>77,70</b>
Dial Gauge <b>ZO 3/50 T</b> .....	<b>10196</b>	<b>108,50</b>
Dial Gauge <b>Z 3/50 Ta</b> .....	<b>10116</b>	<b>108,50</b>
Dial Gauge <b>GZ 80 T</b> .....	<b>10096</b>	<b>81,65</b>
Dial Gauge <b>GZ 100 T</b> .....	<b>10098</b>	<b>95,85</b>

## Dial Gauges

Model	Item No.	EURO
<b>Inch Reading .0001"</b>		
Dial Gauge <b>KFZO T</b> .....	10100	89,30
Dial Gauge <b>KFZ Tb</b> .....	10218	89,30
Dial Gauge <b>KFZO S</b> shockproof .....	10099	94,50
Dial Gauge <b>KFZ3 Sb</b> shockproof .....	10219	94,50
Dial Gauge <b>FZ Ta</b> .....	10104	87,10
Dial Gauge <b>FZ Tb</b> .....	10105	87,10
Dial Gauge <b>FZ/2,5 Sb</b> shockproof .....	10220	101,90
Dial Gauge <b>FZO T</b> .....	10103	87,10
Dial Gauge <b>FZO 5 T</b> .....	10106	92,50
Dial Gauge <b>FZ 80 T</b> .....	10107	125,50
Dial Gauge <b>FZ 80/5 T</b> .....	10108	130,50



### Inch Reading .00005"

Dial Gauge <b>KFZO 1101</b> .....	10200	146,50
Dial Gauge <b>KFZ 1101</b> .....	10221	146,50
Dial Gauge <b>SI-914 ZO</b> with overtravel .....	10201	146,50
Dial Gauge <b>SI-914 Z</b> with overtravel .....	10222	146,50
Dial Gauge <b>FZO 1101</b> .....	10202	146,50
Dial Gauge <b>FZ 1101</b> .....	10223	146,50
Dial Gauge <b>SI-915 ZO</b> with overtravel .....	10203	146,50
Dial Gauge <b>SI-915 Z</b> with overtravel .....	10224	146,50

### Surplus Prices

Lifting Device .....	40031	5,10
Lug back for KM 4 bore dia. 5mm .....	40056	3,50
Lug back for M 2 bore dia. 5mm .....	40055	3,50
Offset lug back for M 2 bore dia. 5mm .....	32626	5,20
Locking screw for the bezel, including metal bezel .....	40084	8,00
Magnetic back for KM 4 .....	40054	39,50
Magnetic back for M 2 .....	40053	39,50
Transparent bezel .....	40085	3,75
Slave pointer (dia. 40 + 58mm) .....	40086	15,00
Special dial, balanced reading .....	40087	3,00
Special dial, counter clockwise reading .....	40088	3,00
Special measuring force .....	40081	9,00
Coloured tolerance segment (red,yellow or green) .....	40089	4,50
Reverse spring traction .....	40080	8,00

## Digital Dial Gauges

Model	Item No.	EURO
Digital Dial Gauge <b>KMD 12 T</b> .....	40405	164,50
Digital Dial Gauge <b>KMD 12 Twa</b> .....	40406	177,50
Digital Dial Gauge <b>FKMD 12 T</b> .....	40416	251,50
Digital Dial Gauge <b>MDMV 12 T</b> .....	40407	110,50
Digital Dial Gauge <b>MD 12 T</b> .....	40400	223,50
Digital Dial Gauge <b>MD 25 T</b> .....	40402	251,50
Digital Dial Gauge <b>MD 50 T</b> .....	40408	530,50



## Digital Dial Gauges

Model	Item No.	EURO
Digital Dial Gauge <b>MD 100 T</b> .....	40409	584,50
Digital Dial Gauge <b>FMD 12 T</b> .....	40401	272,50
Digital Dial Gauge <b>FMD 25 T</b> .....	40403	295,50
Digital Dial Gauge <b>FMD 50 T</b> .....	40410	580,50
Digital Dial Gauge <b>FMD 100 T</b> .....	40411	638,50
Digital Dial Gauge <b>KMD 5 R</b> .....	40421	350,00
Digital Dial Gauge <b>FKMD 5 R</b> .....	40422	390,00
Battery <b>BCR 2032</b> .....	40417	2,50
Data Cable <b>DCMD 232</b> .....	40404	58,65
Data Cable <b>DCMD USB</b> .....	40419	93,85
Data Cable <b>DCKMD 232</b> .....	40412	81,05
Data Cable <b>DCKMD USB</b> .....	40420	125,50
Data Cable <b>DCMV 232</b> .....	40413	47,45
Data Cable <b>DCMV Digimatic</b> .....	40414	47,45
Foot Pedal <b>FP DCMD 232</b> .....	40418	220,50



## Comparator Gauges

Model	Item No.	EURO
Comparator Gauge <b>Compika 101</b> .....	30001	121,50
Comparator Gauge <b>Compika 101 wa</b> water-protected.....	30005	141,50
Comparator Gauge <b>Compika 101 B</b> .....	30002	121,50
Comparator Gauge <b>Compika 505</b> .....	30006	149,50
Comparator Gauge <b>Compika 505 B</b> .....	30007	149,50
Comparator Gauge <b>Compika 502</b> .....	30008	149,50
Comparator Gauge <b>Compika 502 B</b> .....	30009	149,50
Comparator Gauge <b>Compika 1001</b> .....	30010	148,50
Comparator Gauge <b>Compika 1001 wa</b> water-protected.....	30014	167,50
Comparator Gauge <b>Compika 1001 B</b> .....	30011	148,50
Comparator Gauge <b>Compika 105 Z</b> .....	30015	121,50
Comparator Gauge <b>Compika 105 BZ</b> .....	n.v.	121,50
Comparator Gauge <b>Compika 502 Z</b> .....	30016	149,50
Comparator Gauge <b>Compika 502 BZ</b> .....	n.v.	149,50
Comparator Gauge <b>Compika 501 Z</b> .....	30017	149,50
Comparator Gauge <b>Compika 501 BZ</b> .....	n.v.	149,50
Comparator Gauge <b>Compika 1005 Z</b> .....	30018	148,50
Comparator Gauge <b>Compika 1005 BZ</b> .....	n.v.	148,50



Other models also are available water- and oilproof.

## Lever Type Dial Test Indicators

Model	Item No.	EURO
<b>Reading 0,01 mm und 0,002 mm</b>		
Dial Test Indicator <b>K 30</b> .....	30025	70,50
Dial Test Indicator <b>K 30/1</b> .....	30067	79,00
Dial Test Indicator <b>K 31</b> .....	30026	89,30
Dial Test Indicator <b>K 32</b> .....	30027	91,40
Dial Test Indicator <b>K 33</b> .....	30028	95,70
Dial Test Indicator <b>K 34</b> .....	30029	100,90
Dial Test Indicator <b>K 35</b> .....	30030	104,50



## Lever Type Dial Test Indicators

Model	Item No.	EURO
Dial Test Indicator <b>K 36</b> .....	<b>30031</b>	<b>85,00</b>
Dial Test Indicator <b>K 37</b> .....	<b>30032</b>	<b>97,70</b>
Dial Test Indicator <b>K 38</b> .....	<b>30033</b>	<b>99,90</b>
Dial Test Indicator <b>K 30 AD</b> .....	<b>30069</b>	<b>94,50</b>
Dial Test Indicator <b>K 33 AD</b> .....	<b>30070</b>	<b>117,50</b>
Dial Test Indicator <b>K 36 AD</b> .....	<b>30071</b>	<b>108,50</b>
Dial Test Indicator <b>K 40</b> .....	<b>30034</b>	<b>72,50</b>
Dial Test Indicator <b>K 40/1</b> .....	<b>30068</b>	<b>81,10</b>
Dial Test Indicator <b>K 41</b> .....	<b>30035</b>	<b>91,40</b>
Dial Test Indicator <b>K 42</b> .....	<b>30036</b>	<b>92,50</b>
Dial Test Indicator <b>K 43</b> .....	<b>30037</b>	<b>98,90</b>
Dial Test Indicator <b>K 44</b> .....	<b>30038</b>	<b>103,50</b>
Dial Test Indicator <b>K 45</b> .....	<b>30039</b>	<b>105,50</b>
Dial Test Indicator <b>K 46</b> .....	<b>30040</b>	<b>86,00</b>
Dial Test Indicator <b>K 47</b> .....	<b>30041</b>	<b>98,90</b>
Dial Test Indicator <b>K 48</b> .....	<b>30042</b>	<b>100,90</b>
Dial Test Indicator <b>K 40 AD</b> .....	<b>30072</b>	<b>78,70</b>
Dial Test Indicator <b>K 43 AD</b> .....	<b>30073</b>	<b>103,50</b>
Dial Test Indicator <b>K 46 AD</b> .....	<b>30074</b>	<b>91,40</b>
Dial Test Indicator <b>Tastboy</b> .....	<b>30019</b>	<b>70,20</b>



### Reading 0.001 mm

Dial Test Indicator <b>K 49 AD</b> .....	<b>30078</b>	<b>97,00</b>
Dial Test Indicator <b>K 58</b> .....	<b>30077</b>	<b>120,00</b>

### Inch Reading .0005 and .0001"

Dial Test Indicator <b>K 30 Z</b> .....	<b>30043</b>	<b>72,70</b>
Dial Test Indicator <b>K 31 Z</b> .....	<b>30044</b>	<b>89,30</b>
Dial Test Indicator <b>K 32 Z</b> .....	<b>30045</b>	<b>91,40</b>
Dial Test Indicator <b>K 33 Z</b> .....	<b>30046</b>	<b>95,70</b>
Dial Test Indicator <b>K 34 Z</b> .....	<b>30047</b>	<b>100,90</b>
Dial Test Indicator <b>K 35 Z</b> .....	<b>30048</b>	<b>104,50</b>
Dial Test Indicator <b>K 36 Z</b> .....	<b>30049</b>	<b>86,10</b>
Dial Test Indicator <b>K 37 Z</b> .....	<b>30050</b>	<b>97,70</b>
Dial Test Indicator <b>K 38 Z</b> .....	<b>30051</b>	<b>99,90</b>
Dial Test Indicator <b>K 40 Z</b> .....	<b>30052</b>	<b>74,80</b>
Dial Test Indicator <b>K 41 Z</b> .....	<b>30053</b>	<b>91,40</b>
Dial Test Indicator <b>K 42 Z</b> .....	<b>30054</b>	<b>92,50</b>
Dial Test Indicator <b>K 43 Z</b> .....	<b>30055</b>	<b>98,90</b>
Dial Test Indicator <b>K 44 Z</b> .....	<b>30056</b>	<b>103,50</b>
Dial Test Indicator <b>K 45 Z</b> .....	<b>30057</b>	<b>105,50</b>
Dial Test Indicator <b>K 46 Z</b> .....	<b>30058</b>	<b>88,30</b>
Dial Test Indicator <b>K 47 Z</b> .....	<b>30059</b>	<b>98,90</b>
Dial Test Indicator <b>K 48 Z</b> .....	<b>30060</b>	<b>100,90</b>
Dial Test Indicator <b>Tastboy 'Z'</b> .....	<b>30021</b>	<b>70,20</b>
Digital Dial Test Indicator <b>DK 30</b> .....	<b>40415</b>	<b>236,50</b>
Data Cable <b>DCKMD 232</b> .....	<b>40412</b>	<b>81,05</b>

### Supports for Dial Test Indicators

Centering Support <b>FH 8</b> .....	<b>50019</b>	<b>25,00</b>
Support <b>no. 1.0958</b> with dovetail clamp .....	<b>50021</b>	<b>11,50</b>
Round Support <b>FH 90</b> with dovetail clamp .....	<b>50022</b>	<b>13,50</b>

## Special Measuring Instruments

Model	Item No.	EURO
Saw Setting Dial Gauge .....	40005	46,50
Saw Setting Dial Gauge reading 0,01mm.....	40041	46,50
Saw Setting Dial Gauge with sperical contact point.....	40042	46,50
Saw Setting Dial Gauge Model B with pointed contact point.....	40043	58,60
Saw Setting Dial Gauge Model C with flat contact point dia. 4,8mm.....	40044	58,60
Saw Setting Dial Gauge Z.....	40006	46,50
Saw Setting Dial Gauge Z with spherical contact point.....	40046	46,50
Saw Setting Dial Gauge Z Model B with pointed contact point.....	40047	58,60
Saw Setting Dial Gauge Z Model C with flat contact point dia. 4,8mm.....	40048	58,60
Quickmess Basis.....	40015	134,50
Quickmess Maxi.....	40016	176,50
Quickmess Basis - Big.....	40034	134,50
Quickmess Maxi - Big.....	40035	176,50
JKA Precision Gauge.....	40001	240,50
JKA Precision Gauge S.....	40003	271,50



## Measuring Tables, Magnetic Bases and Magnetic Stands

Model	Item No.	EURO
Measuring Table P 6.....	50001	197,50
Measuring Table P 6 S.....	50002	241,50
Measuring Table P 6 K.....	50026	450,50
Measuring Table P 7.....	50003	128,50
Measuring Table P 7 K.....	50025	312,50
Measuring Table P 9.....	50029	327,50
Measuring Table P 9 HG.....	50028	588,50
Magnetic Stand P 17 without Dial Gauge.....	50004	135,50
Rods only for Magnetic Stand P 17 (without Magnetic Base).....	50023	76,35
Wooden Case for P 17.....	86005	25,20
Magnetic Stand P 200.....	50033	199,50
Magnetic Stand P 280.....	50034	199,50
Magnetic Base PMF 10 for P 17 and P 280.....	50011	55,90
Magnetic Base P 18.....	50006	48,00
Magnetic Base P 19.....	50007	81,90
Magnetic Stand P 20.....	50014	114,50
Magnetic Base P 22.....	50017	34,00



## Mechanical Dial Depth Gauges

Model	Item No.	EURO
Dial Depth Gauge TM/2.....	40008	107,50
Spare Dial Gauge für TM/2.....	40028	46,50
Dial Depth Gauge TM 2/30.....	40010	151,50
Spare Dial Gauge für TM 2/30.....	40029	85,10
Tyre Tread Dial Depth Gauge PTM.....	40072	62,80
Dial Depth Gauge TZ/2.....	40009	107,50
Dial Depth Gauge TZ 2/30.....	40011	151,50
Dial Depth Gauge TU 10.....	40027	106,50
Dial Depth Gauge TU 30.....	40021	188,50



## Depth Measuring Bases

Model	Item No.	EURO
Depth Base <b>TB 50</b> chromium-plated .....	40022	50,00
Depth Base <b>TB 80</b> chromium-plated .....	40023	50,00
Depth Base <b>TB 100</b> chromium-plated .....	40069	50,00
Depth Base <b>TB 120</b> chromium-plated .....	40024	58,00
Depth Base <b>TB 150</b> chromium-plated .....	40068	80,00
Depth Base <b>TB 200</b> burnished .....	40074	164,50
Depth Base <b>TB 250</b> burnished .....	40078	190,50
Depth Base <b>TB 300</b> burnished .....	40075	391,50
Depth Base <b>TB 66 P</b> Triangular Prism, chromium-plated .....	40073	79,20
Depth Base <b>TU 2</b> .....	40025	7,50



## Digital Dial Depth Gauges

Model	Item No.	EURO
Digital Dial Depth Gauge <b>TMD 12</b> .....	40037	299,50
Spare Digital Dial Gauge for <b>TMD 12</b> .....	40039	228,50
Digital Dial Depth Gauge <b>TMD 25</b> .....	40038	326,50
Spare Digital Dial Gauge for <b>TMD 25</b> .....	40040	256,50



## Thickness Measuring Instruments

Model	Item No.	EURO
<b>Reading 0,1 mm</b>		
Thickness Gauge <b>K 15</b> .....	20001	42,75
Thickness Gauge <b>K 15/2</b> .....	20045	49,20
Thickness Gauge <b>K 50</b> .....	20002	87,85
Spare Dial Gauge for <b>K 50</b> .....	20056	38,65
Thickness Gauge <b>K 50</b> with lifting device .....	20066	87,85
Spare Dial Gauge for <b>K 50</b> with lifting device .....	20057	38,65
Thickness Gauge <b>K 50/2</b> .....	20003	88,85
Spare Dial Gauge for <b>K 50/2</b> .....	20058	45,15
Thickness Gauge <b>K 50/3</b> .....	20004	101,85
Spare Dial Gauge for <b>K 50/3</b> .....	20059	46,95
Thickness Gauge <b>K 50/5</b> .....	20043	153,50
Spare Dial Gauge for <b>K 50/5</b> .....	20060	113,50
Thickness Gauge <b>K 100</b> .....	20005	115,50
Spare Dial Gauge for <b>K 100</b> .....	20061	46,95
Thickness Gauge <b>K 200</b> .....	20006	132,50
Thickness Gauge <b>K 300</b> .....	20007	151,50
Thickness Gauge <b>K 400</b> .....	20008	172,50
Spare Dial Gauge for <b>K 200 - K 400</b> .....	20062	46,95
<b>Reading 0,01 mm</b>		
Thickness Gauge <b>J 12</b> .....	20042	87,85
Thickness Gauge <b>J 15</b> .....	20009	85,65
Leather Case for <b>J 15</b> .....	20010	6,15
Thickness Gauge <b>J 45</b> .....	20011	98,65
Thickness Gauge <b>J 50</b> .....	20012	100,85
Spare Dial Gauge for <b>J 50</b> .....	20068	45,15
Thickness Gauge <b>J 50</b> with lifting device .....	20067	100,85



## Thickness Measuring Instruments

Käfer



Model	Item No.	EURO
Spare Dial Gauge for J 50 with lifting device	20063	45,15
Thickness Gauge <b>J 50 R</b> with side discs	20013	188,50
Thickness Gauge <b>J 50 R</b> without side discs	20038	188,50
Thickness Gauge <b>J 50 W</b>	20039	135,50
Thickness Gauge <b>J 50/30</b>	20015	144,50
Spare Dial Gauge for J 50/30	20016	84,55
Thickness Gauge <b>J 50/30</b> with lifting device	20076	155,50
Spare Dial Gauge für J 50/30 with lifting device	20077	84,55
Thickness Gauge <b>J 50/3 WP</b> according to EN 494	20055	181,50
Thickness Gauge <b>J 100</b>	20014	127,50
Spare Dial Gauge for J 100	20078	45,15
Thickness Gauge <b>J 100/30</b>	20079	182,50
Thickness Gauge <b>J 200</b>	20017	152,50
Spare Dial Gauge for J 200 - J 300	20064	45,15
Thickness Gauge <b>J 200/30</b>	20018	202,50
Spare Dial Gauge for J 200/30	20065	84,55
Thickness Gauge <b>J 300</b>	20019	180,50

### Reading 0,001 mm

Thickness Gauge <b>F 50</b>	20080	157,50
Thickness Gauge <b>F 50 R</b> with side discs	20081	241,50
Thickness Gauge <b>F 50 R</b> without side discs	20082	241,50
Foil Thickness Gauge <b>F 1000/30</b>	20021	184,50
Foil Thickness Gauge <b>F 1101/30</b> with extra accurate movement	20069	201,50
Foil Thickness Gauge <b>F 1101/30-0,1</b> with extra accurate movement	20301	217,50
Spare Dial Gauge for F 1000/30 with transparent bezel	20083	93,25
Spare Dial Gauge for F 1101/30 with transparent bezel	20084	152,50

### Inch Reading .01"

Thickness Gauge <b>KZ 15</b>	20022	42,55
Thickness Gauge <b>KZ 15/2</b>	20085	48,95
Thickness Gauge <b>KZ 50/2</b>	20024	88,85
Thickness Gauge <b>KZ 50/3</b>	20025	101,85
Thickness Gauge <b>KZ 100</b>	20026	115,50
Thickness Gauge <b>KZ 200</b>	20027	132,50
Thickness Gauge <b>KZ 300</b>	20028	151,50
Thickness Gauge <b>KZ 400</b>	20029	172,50

### Inch Reading .001"

Thickness Gauge <b>JZ 12</b>	20044	87,85
Thickness Gauge <b>JZ 15</b>	20030	85,65
Thickness Gauge <b>JZ 45</b>	20031	98,65
Thickness Gauge <b>JZ 50</b>	20032	100,85
Thickness Gauge <b>JZ 50</b> with lifting device	20070	100,85
Thickness Gauge <b>JZ 50 R</b> with side discs	20033	188,50
Thickness Gauge <b>JZ 50 R</b> without side discs	20040	188,50
Thickness Gauge <b>JZ 100</b>	20035	127,50
Thickness Gauge <b>JZ 200</b>	20036	152,50

### Inch Reading .0001" and .00005"

Foil Thickness Gauge <b>F 1000/30 'Z'</b>	20037	184,50
Foil Thickness Gauge <b>F 1101/30 'Z'</b> with extra accurate movement	20097	201,50

## Digital Thickness Measuring Instruments

Model	Item No.	EURO
Digital Thickness Gauge <b>JD 50 TOP</b> .....	20099	182,50
Digital Thickness Gauge <b>JD 50</b> with lifting device .....	20048	299,50
Digital Thickness Gauge <b>JD 50 W</b> .....	20049	362,50
Digital Thickness Gauge <b>JD 50 R</b> with side discs .....	20086	384,50
Digital Thickness Gauge <b>JD 50 R</b> without side discs .....	20098	384,50
Digital Thickness Gauge <b>JD 50/25</b> with lifting device .....	20087	345,50
Digital Thickness Gauge <b>JD 100</b> .....	20051	355,50
Digital Thickness Gauge <b>JD 100 R</b> without side discs .....	20088	449,50
Digital Thickness Gauge <b>JD 100/25</b> with lifting device .....	20089	370,50
Spare Digital Dial Gauge for JD 50 - JD 100 .....	20071	236,50
Spare Digital Dial Gauge for JD 50/25 .....	20090	267,50
Spare Digital Dial Gauge for JD 100/25 .....	20091	267,50
Digital Thickness Gauge <b>JD 200</b> .....	20052	379,50
Spare Digital Dial Gauge for JD 200 .....	20072	238,50
Digital Thickness Gauge <b>JD 200/25</b> .....	20046	411,50
Spare Digital Dial Gauge for JD 200/25 .....	20073	270,50
Digital Thickness Gauge <b>JD 300</b> .....	20053	405,50
Digital Thickness Gauge <b>FD 50</b> with lifting device .....	20054	333,50
Spare Digital Dial Gauge for FD 50 .....	20074	287,50
Digital Thickness Gauge <b>FD 50 R</b> without side discs .....	20092	439,50
Digital Thickness Gauge <b>FD 50/25</b> .....	20093	391,50
Spare Digital Dial Gauge for FD 50/25 .....	20094	313,50
Digital Thickness Gauge <b>FD 100/25</b> .....	20095	417,50
Spare Digital Dial Gauge for FD 100/25 .....	20096	313,50
Digital Thickness Gauge <b>FD 200/25</b> .....	20047	444,50
Spare Digital Dial Gauge for FD 200/25 .....	20075	316,50
Data Cable <b>DCMD 232</b> .....	40404	60,15
Mounting Device <b>2.1670</b> .....	20050	54,55

