

# **KÄFER MESSUHRENFABRIK GMBH & CO. KG**

HAHNSTRASSE 11 · DE-78054 VILLINGEN-SCHWENNINGEN

Telefon +49 (0)77 20 / 83 41-0 · Telefax +49 (0)77 20 / 2 18 68

e-mail: [info@kaefer-messuhren.de](mailto:info@kaefer-messuhren.de)

Internet: [www.kaefer-messuhren.de](http://www.kaefer-messuhren.de)

## **Pricelist**

for

### **Dial Gauges and Measuring Instruments**

Edition July 2023

All prices are indicated without VAT.

## Dial Gauges

Model	Item No.	EURO
<b>Reading 0,1 mm</b>		
Dial Gauge <b>KM 5 a</b> .....	10121	65,36
Dial Gauge <b>KM 10 a</b> .....	10146	66,63
Dial Gauge <b>KM 5 aR</b> with back plunger .....	10242	119,83
Dial Gauge <b>M 10 a</b> .....	10062	51,59
Dial Gauge <b>M 10 b</b> .....	10063	60,95
Dial Gauge <b>M 10 c</b> .....	10064	62,15
Dial Gauge <b>M 10 d</b> .....	10065	161,32
Dial Gauge <b>M 10/5 R</b> with back plunger .....	10241	119,83
Dial Gauge <b>SI-9/0,1</b> .....	10144	61,69
Dial Gauge <b>GM 10/80</b> .....	10069	95,89
Dial Gauge <b>GM 10/100</b> .....	10074	116,72



### Reading 0,01 mm

Dial Gauge <b>MU 28</b> .....	10169	90,33
Dial Gauge <b>KM 6 T</b> .....	10013	74,49
Dial Gauge <b>KM 6 T wa</b> water-protected .....	10294	99,91
Dial Gauge <b>KM 4 T</b> .....	10006	60,82
Dial Gauge <b>KM 4 T - 100</b> .....	10228	67,26
Dial Gauge <b>KM 4 TOP</b> .....	10153	48,01
Dial Gauge <b>KM 4 X</b> .....	10009	45,85
Dial Gauge <b>KM 4 S</b> shockproof .....	10002	77,53
Dial Gauge <b>KM 4 S-100</b> shockproof .....	10230	84,93
Dial Gauge <b>KM 4 TOP S</b> shockproof .....	10155	60,08
Dial Gauge <b>KM 4 XS</b> shockproof .....	10118	56,99
Dial Gauge <b>KM 4/5 T</b> .....	10011	60,82
Dial Gauge <b>KM 4/5 T - 100</b> .....	10229	67,26
Dial Gauge <b>KMU 4/5 TK-100</b> with concentric mm-pointer .....	10287	46,20
Dial Gauge <b>KM 4/5 TOP</b> .....	10154	48,01
Dial Gauge <b>KM 4/5 X</b> .....	10012	45,85
Dial Gauge <b>KM 4/5 S</b> shockproof .....	10010	77,53
Dial Gauge <b>KM 4/5 S - 100</b> shockproof .....	10231	84,93
Dial Gauge <b>KM 4/5 TOP S</b> shockproof .....	10156	60,08
Dial Gauge <b>KM 4/5 XS</b> shockproof .....	10120	56,99
Dial Gauge <b>KM 4/10 TK</b> .....	10256	83,84
Dial Gauge <b>KM 4/10 TK - 100</b> .....	10248	83,84
Dial Gauge <b>KM 4 R</b> with back plunger .....	10001	114,83
Dial Gauge <b>KM 4/5 R</b> with back plunger .....	10138	120,86
Dial Gauge <b>SI-45</b> with overtravel .....	10005	81,83
Dial Gauge <b>SI-45/0,8</b> with overtravel .....	10178	84,53
Dial Gauge <b>SI-45 R</b> with back plunger .....	10123	129,75
Dial Gauge <b>SI-45/0,8 R</b> with back plunger .....	10237	133,31
Dial Gauge <b>SI-45 W</b> waterproof .....	10140	120,63
Dial Gauge <b>KM 4 SW</b> waterproof .....	10126	120,63
Dial Gauge <b>KM 4/5 SW</b> waterproof .....	10181	120,63
Dial Gauge <b>KM 4 S wa</b> water-protected .....	10004	102,15
Dial Gauge <b>KM 4 T Magnet</b> with magnetic back .....	10147	122,18
Dial Gauge <b>M 2 T</b> .....	10021	50,64
Dial Gauge <b>M 2 T</b> with counter clockwise dial reading .....	10225	56,64
Dial Gauge <b>M 2 T</b> with fixing screw for the bezel .....	10257	63,53
Dial Gauge <b>M 2 T</b> with balanced dial .....	10258	56,64
Dial Gauge <b>M 2 T</b> with increased measuring force .....	10259	65,08
Dial Gauge <b>M 2 T</b> with reduced measuring force .....	10260	65,08
Dial Gauge <b>M 2 T</b> with stem on both sides .....	10261	98,13
Dial Gauge <b>M 2 T</b> with reverse spring traction .....	10255	63,76

## Dial Gauges



Model	Item No.	EURO
Dial Gauge <b>MU 52 T</b> .....	10253	32,88
Dial Gauge <b>M 2 TK</b> with concentric mm-pointer .....	10022	66,91
Dial Gauge <b>M 2 TOP</b> .....	10142	40,57
Dial Gauge <b>M 2 X</b> .....	10027	38,45
Dial Gauge <b>M 2 S</b> shockproof, with fine adjustment of the pointer .....	10016	97,73
Dial Gauge <b>M 2 SN</b> shockproof .....	10017	74,95
Dial Gauge <b>M 2/10 S</b> shockproof .....	10111	62,90
Dial Gauge <b>MU 52 ST</b> shockproof .....	10254	39,43
Dial Gauge <b>M 2 TOP S</b> shockproof .....	10143	47,83
Dial Gauge <b>M 2 XS</b> shockproof .....	10117	46,77
Dial Gauge <b>M 3 T</b> .....	10033	72,02
Dial Gauge <b>M 3 S</b> shockproof .....	10032	87,80
Dial Gauge <b>M 2/20 T</b> .....	10026	106,63
Dial Gauge <b>M 2/20 S</b> shockproof .....	10238	117,19
Dial Gauge <b>M 2/25 T</b> .....	10274	106,63
Dial Gauge <b>M 2/25 S</b> shockproof .....	10275	117,87
Dial Gauge <b>M 2/30 T</b> .....	10029	109,50
Dial Gauge <b>MU 52/30 T</b> .....	10271	93,77
Dial Gauge <b>M 2/30 T</b> anticlockwise dial .....	10226	113,97
Dial Gauge <b>M 2/30 S</b> shockproof .....	10028	120,17
Dial Gauge <b>MU 52/30 ST</b> shockproof .....	10272	103,93
Dial Gauge <b>M 2/50 T</b> .....	10031	154,60
Dial Gauge <b>M 2/50 T</b> anticlockwise dial .....	10227	159,02
Dial Gauge <b>M 2/50 S</b> shockproof .....	10030	165,33
Dial Gauge <b>M 2/80 T</b> .....	10112	317,47
Dial Gauge <b>M 2/80 S</b> shockproof .....	10170	328,03
Dial Gauge <b>M 2/100 T</b> .....	10235	403,44
Dial Gauge <b>M 1 T</b> without revolution counter .....	10014	60,95
Dial Gauge <b>M 2 R</b> with back plunger .....	10015	114,83
Dial Gauge <b>M 2 RW</b> with black plunger, waterproof .....	10278	164,01
Dial Gauge <b>M 2/5 R</b> with back plunger .....	10137	120,86
Dial Gauge <b>SI-50</b> with overtravel .....	10249	74,95
Dial Gauge <b>SI-90</b> with overtravel .....	10020	74,72
Dial Gauge <b>SI-90 X</b> with overtravel .....	10119	50,90
Dial Gauge <b>MU 52 ST - SI</b> with overtravel .....	10273	44,53
Dial Gauge <b>SI-90 R</b> with overtravel, back plunger .....	10122	128,26
Dial Gauge <b>SI-90 W</b> with overtravel .....	10139	120,63
Dial Gauge <b>SI-100</b> with overtravel .....	10232	74,95
Dial Gauge <b>SI-18</b> with overtravel .....	10019	74,95
Dial Gauge <b>SI-18 R</b> with overtravel, back plunger .....	10240	126,83
Dial Gauge <b>M 2 SW</b> waterproof .....	10127	120,63
Dial Gauge <b>M 2/30 SW</b> waterproof .....	10163	211,07
Dial Gauge <b>M 2 S wa</b> water-protected .....	10018	102,15
Dial Gauge <b>M 2/30 S wa</b> water-protected .....	10187	190,93
Dial Gauge <b>M 2 T Magnet</b> with magnetic back .....	10023	117,64
Dial Gauge <b>M 2 T Antimagnet</b> antimagnetic .....	10282	1008,65
Dial Gauge <b>GM 80 T</b> .....	10037	119,11
Dial Gauge <b>GM 80 S</b> shockproof .....	10036	134,48
Dial Gauge <b>GM 80 SW</b> waterproof .....	10251	202,99
Dial Gauge <b>GM 80/30 T</b> .....	10038	178,58
Dial Gauge <b>GM 80/50 T</b> .....	10039	225,99
Dial Gauge <b>GM 80/100 T</b> .....	10040	419,53
Dial Gauge <b>GM 80/100 S</b> shockproof .....	10141	433,08
Dial Gauge <b>GM 100 T</b> .....	10042	139,71
Dial Gauge <b>GM 100 S</b> shockproof .....	10041	159,86
Dial Gauge <b>GM 100/30 T</b> .....	10043	202,31
Dial Gauge <b>GM 100/50 T</b> .....	10044	252,79

## Dial Gauges

Model	Item No.	EURO
<b>Reading 0,005 mm</b>		
Dial Gauge <b>M 3 a T</b> .....	10035	72,02
Dial Gauge <b>M 3 a S</b> shockproof .....	10034	87,80
Dial Gauge <b>M 3 a SI</b> with overtravel .....	10180	87,50
<b>Reading 0,002 mm</b>		
Dial Gauge <b>KM 500 T</b> .....	10130	125,51
Dial Gauge <b>KM 500 S</b> shockproof .....	10131	132,97
Dial Gauge <b>KM 500/3 S</b> shockproof .....	10189	151,85
Dial Gauge <b>KM 500 SW</b> waterproof .....	10128	177,50
Dial Gauge <b>KM 500 SI</b> with overtravel .....	10244	132,97
Dial Gauge <b>KM 500 R</b> with back plunger .....	10125	177,50
Dial Gauge <b>FM 500 T</b> .....	10052	122,58
Dial Gauge <b>FM 500 SI</b> with overtravel .....	10179	145,19
Dial Gauge <b>FM 500 R</b> with back plunger .....	10245	181,52
<b>Reading 0,001 mm</b>		
Dial Gauge <b>KM 1000 T</b> .....	10051	125,51
Dial Gauge <b>KM 1000 S</b> shockproof .....	10049	132,97
Dial Gauge <b>KM 1000/3 T</b> .....	10279	143,93
Dial Gauge <b>KM 1000/3 S</b> shockproof .....	10280	151,85
Dial Gauge <b>KM 1000/5 T</b> .....	10283	154,60
Dial Gauge <b>KM 1000/5 S</b> shockproof .....	10284	162,81
Dial Gauge <b>KM 1000 S wa</b> water-protected .....	10050	165,33
Dial Gauge <b>KM 1000 SI</b> with overtravel .....	10243	132,97
Dial Gauge <b>KM 1000 R</b> with back plunger .....	10236	177,50
Dial Gauge <b>Feinika KM 1101</b> with extra accurate movement .....	10165	207,05
Dial Gauge <b>Feinika KM 1101 W</b> with extra accurate movement, waterproof .....	10182	262,26
Dial Gauge <b>Feinika SI-910</b> with extra accurate movement .....	10233	207,05
Dial Gauge <b>Feinika SI-914</b> with extra accurate movement .....	10166	207,05
Dial Gauge <b>FM 1000 T</b> .....	10058	122,58
Dial Gauge <b>FM 1000 T</b> with fixing screw for the bezel .....	10262	134,06
Dial Gauge <b>FM 1000 T</b> with reverse spring traction .....	10263	134,29
Dial Gauge <b>FM 1000 T</b> with counter clockwise dial reading .....	10264	127,11
Dial Gauge <b>FM 1000 T</b> with balanced dial .....	10265	127,11
Dial Gauge <b>FM 1000 T</b> with increased measuring force .....	10266	135,55
Dial Gauge <b>FM 1000 T</b> with reduced measuring force .....	10267	135,55
Dial Gauge <b>FM 1000 T</b> with stem on both sides .....	10268	167,97
Dial Gauge <b>FM 1000 S</b> shockproof .....	10053	143,18
Dial Gauge <b>FM 1000/5 T</b> .....	10059	129,98
Dial Gauge <b>FM 1000/5 S</b> shockproof .....	10056	156,73
Dial Gauge <b>SI-180</b> with overtravel .....	10055	143,93
Dial Gauge <b>FM 1000 SW</b> waterproof .....	10129	190,93
Dial Gauge <b>FM 1000/5 SW</b> waterproof .....	10148	207,05
Dial Gauge <b>FM 1000 S wa</b> water-protected .....	10054	177,50
Dial Gauge <b>FM 1000/5 S wa</b> water-protected .....	10057	188,23
Dial Gauge <b>FM 1000 R</b> with back plunger .....	10124	181,52
Dial Gauge <b>Feinika FM 1101</b> with extra accurate movement .....	10167	207,05
Dial Gauge <b>Feinika FM 1101 W</b> with extra accurate movement, waterproof .....	10183	262,23
Dial Gauge <b>Feinika SI-915</b> with extra accurate movement .....	10168	207,05
Dial Gauge <b>Feinika SI-916</b> with extra accurate movement .....	10234	207,05
Dial Gauge <b>Feinika SI-918</b> with extra accurate movement .....	10184	207,05
Dial Gauge <b>FM 1000/80 T</b> .....	10060	181,06
Dial Gauge <b>FM 1000/80 S shockproof</b> .....	10113	202,75
Dial Gauge <b>FM 1000/80-5 T</b> .....	10061	189,21
Dial Gauge <b>FM 1000/80-5 S</b> shockproof .....	10114	212,10



## Dial Gauges



Model	Item No.	EURO
<b>Inch Reading .001"</b>		
Dial Gauge <b>KZO 6 T</b> .....	<b>10190</b>	<b>72,82</b>
Dial Gauge <b>KZ 6 T</b> .....	<b>10204</b>	<b>72,82</b>
Dial Gauge <b>KZ 4/5 Sb</b> shockproof .....	<b>10205</b>	<b>80,17</b>
Dial Gauge <b>KZO 4 R</b> with back plunger .....	<b>10186</b>	<b>114,83</b>
Dial Gauge <b>KZ 4/5 Rb</b> with back plunger .....	<b>10207</b>	<b>120,86</b>
Dial Gauge <b>KZ 4 SI</b> with overtravel .....	<b>10206</b>	<b>81,83</b>
Dial Gauge <b>KZO 4/5 SW</b> waterproof .....	<b>10192</b>	<b>120,63</b>
Dial Gauge <b>KZ 4/5 SWb</b> waterproof .....	<b>10208</b>	<b>120,63</b>
Dial Gauge <b>Z 1 Ta</b> .....	<b>10085</b>	<b>63,01</b>
Dial Gauge <b>Z 1 Tb</b> .....	<b>10086</b>	<b>63,01</b>
Dial Gauge <b>Z 2 Ta</b> .....	<b>10087</b>	<b>66,00</b>
Dial Gauge <b>Z 2 Tb</b> .....	<b>10088</b>	<b>66,00</b>
Dial Gauge <b>ZMU 52 TK</b> .....	<b>10269</b>	<b>35,81</b>
Dial Gauge <b>Z 2/8 SNb</b> shockproof .....	<b>10209</b>	<b>75,92</b>
Dial Gauge <b>Z O 1 T</b> .....	<b>10084</b>	<b>65,36</b>
Dial Gauge <b>Z O 2 T</b> .....	<b>10109</b>	<b>65,36</b>
Dial Gauge <b>Z O 2 S</b> shockproof, with fine adjustment of the pointer .....	<b>10162</b>	<b>98,25</b>
Dial Gauge <b>SI-90 Z</b> with overtravel .....	<b>10191</b>	<b>75,92</b>
Dial Gauge <b>Z 2 SI</b> with overtravel .....	<b>10211</b>	<b>75,92</b>
Dial Gauge <b>ZO 2/30 T</b> .....	<b>10193</b>	<b>110,36</b>
Dial Gauge <b>Z 2/30 Ta</b> .....	<b>10089</b>	<b>110,36</b>
Dial Gauge <b>ZMU 52/30 T</b> .....	<b>10270</b>	<b>74,14</b>
Dial Gauge <b>ZO 2/50 T</b> .....	<b>10194</b>	<b>154,60</b>
Dial Gauge <b>Z 2/50 Ta</b> .....	<b>10090</b>	<b>154,60</b>
Dial Gauge <b>Z 2/100 T</b> .....	<b>10210</b>	<b>403,44</b>
Dial Gauge <b>GZ 80/100 T</b> .....	<b>10097</b>	<b>421,63</b>
<b>Inch Reading .0005"</b>		
Dial Gauge <b>KZ 3/5 Sb</b> shockproof .....	<b>10212</b>	<b>80,17</b>
Dial Gauge <b>KZ 3 SI</b> with overtravel .....	<b>10213</b>	<b>81,83</b>
Dial Gauge <b>Z 3 Ta</b> .....	<b>10094</b>	<b>71,28</b>
Dial Gauge <b>Z 3 Tb</b> .....	<b>10095</b>	<b>71,28</b>
Dial Gauge <b>Z 3/04 SNb</b> shockproof .....	<b>10214</b>	<b>75,92</b>
Dial Gauge <b>Z O 3 T</b> .....	<b>10092</b>	<b>65,36</b>
Dial Gauge <b>Z O 3 X</b> .....	<b>10093</b>	<b>46,89</b>
Dial Gauge <b>Z O 3 S</b> shockproof, with fine adjustment of the pointer .....	<b>10091</b>	<b>98,25</b>
Dial Gauge <b>Z O 3 R</b> with back plunger .....	<b>10197</b>	<b>114,83</b>
Dial Gauge <b>Z 3/5 Rb</b> with back plunger .....	<b>10215</b>	<b>120,86</b>
Dial Gauge <b>Z O 3/5 R</b> with back plunger .....	<b>10198</b>	<b>120,86</b>
Dial Gauge <b>FZ3 SI</b> with overtravel .....	<b>10217</b>	<b>75,92</b>
Dial Gauge <b>Z O 3 SNW</b> waterproof .....	<b>10199</b>	<b>120,63</b>
Dial Gauge <b>Z 3 SNW</b> waterproof .....	<b>10216</b>	<b>120,63</b>
Dial Gauge <b>ZO 3/30 T</b> .....	<b>10195</b>	<b>110,36</b>
Dial Gauge <b>Z 3/30 Ta</b> .....	<b>10115</b>	<b>110,36</b>
Dial Gauge <b>ZO 3/50 T</b> .....	<b>10196</b>	<b>154,60</b>
Dial Gauge <b>Z 3/50 Ta</b> .....	<b>10116</b>	<b>154,60</b>
Dial Gauge <b>GZ 80 T</b> .....	<b>10096</b>	<b>119,11</b>
Dial Gauge <b>GZ 100 T</b> .....	<b>10098</b>	<b>139,71</b>

## Dial Gauges

Model	Item No.	EURO
<b>Inch Reading .0001"</b>		
Dial Gauge <b>KFZO T</b> .....	10100	126,83
Dial Gauge <b>KFZ Tb</b> .....	10218	126,83
Dial Gauge <b>KFZO S</b> shockproof .....	10099	134,17
Dial Gauge <b>KFZ3 Sb</b> shockproof .....	10219	134,17
Dial Gauge <b>FZ Ta</b> .....	10104	123,73
Dial Gauge <b>FZ Tb</b> .....	10105	123,73
Dial Gauge <b>FZ/2,5 Sb</b> shockproof .....	10220	145,19
Dial Gauge <b>FZO T</b> .....	10103	123,73
Dial Gauge <b>FZO 5 T</b> .....	10106	131,36
Dial Gauge <b>FZ 80 T</b> .....	10107	179,74
Dial Gauge <b>FZ 80/5 T</b> .....	10108	187,77



### Inch Reading .00005"

Dial Gauge <b>KFZO 1101</b> .....	10200	209,81
Dial Gauge <b>KFZ 1101</b> .....	10221	209,81
Dial Gauge <b>SI-914 ZO</b> with overtravel .....	10201	209,81
Dial Gauge <b>SI-914 Z</b> with overtravel .....	10222	209,81
Dial Gauge <b>FZO 1101</b> .....	10202	209,81
Dial Gauge <b>FZ 1101</b> .....	10223	209,81
Dial Gauge <b>SI-915 ZO</b> with overtravel .....	10203	209,81
Dial Gauge <b>SI-915 Z</b> with overtravel .....	10224	209,81

### Surplus Prices

Lifting lever M2, range up to 10 mm .....	40031	7,35
Lifting lever M2, range up to 30 mm .....	40065	32,94
Lifting lever for Small Dial Gauges .....	40106	7,35
Lug back for KM 4 bore dia. 5mm .....	40056	5,31
Lug back for KM 4 SW, waterproof version, bore dia. 5mm .....	22661	32,13
Lug back for M 2 bore dia. 5mm .....	40055	5,31
Lug back for M 2 SW, waterproof version, bore dia. 5mm .....	22655	34,73
Locking screw for the bezel, including metal bezel .....	40084	12,12
Magnetic back for KM 4 .....	40054	56,24
Magnetic back for M 2 .....	40053	56,24
Transparent bezel .....	40085	6,93
Slave pointer (dia. 40 + 58mm) .....	40086	27,67
Special dial, balanced reading .....	40087	4,58
Special dial, counter clockwise reading .....	40088	4,58
Special measuring force .....	40081	20,74
Coloured tolerance segment (red,yellow or green) .....	40098	on request
Reverse spring traction .....	40080	17,30

## Digital Dial Gauges

Model	Item No.	EURO
Digital Dial Gauge <b>KMD 12 TB</b> .....	40405	230,23
Digital Dial Gauge <b>KMD 12 TB wa</b> .....	40406	247,50
Digital Dial Gauge <b>FKMD 12 TB</b> .....	40416	351,98
Digital Dial Gauge <b>MD 12 TOP</b> .....	40407	181,58
Digital Dial Gauge <b>MD 12 TB</b> .....	40438	307,55
Digital Dial Gauge <b>MD 12 TA</b> .....	40488	438,30
Digital Dial Gauge <b>MD 25 TB</b> .....	40439	345,09
Digital Dial Gauge <b>MD 25 TA</b> .....	40475	485,95



## Digital Dial Gauges

Model	Item No.	EURO
Digital Dial Gauge <b>MD 50 TB</b> .....	40440	741,18
Digital Dial Gauge <b>MD 100 TB</b> .....	40441	817,94
Digital Dial Gauge <b>FMD 12 TOP</b> .....	40471	359,65
Digital Dial Gauge <b>FMD 12 TB</b> .....	40442	381,14
Digital Dial Gauge <b>FMD 12 TA</b> .....	40446	529,50
Digital Dial Gauge <b>FMD 25 TB</b> .....	40443	412,97
Digital Dial Gauge <b>FMD 25 TA</b> .....	40447	557,77
Digital Dial Gauge <b>FMD 50 TB</b> .....	40444	812,66
Digital Dial Gauge <b>FMD 100 TB</b> .....	40445	893,43
Coin cell <b>BCR 2032</b> .....	40417	3,50
Data Cable <b>DCMD 232</b> .....	40404	82,04
Data Cable <b>DCMD USB</b> .....	40419	131,19
Data Cable <b>DCPRMD 232</b> .....	40448	120,14
Data Cable <b>DCPRMD USB</b> .....	40449	120,14
Data Cable <b>DCKMD 232</b> .....	40412	113,20
Data Cable <b>DCKMD USB</b> .....	40420	175,96
Data Cable <b>DCMV 232</b> .....	40413	137,03
Data Cable <b>DCMV Digimatic</b> .....	40414	123,70
Data Cable <b>DCMV USB</b> .....	40434	173,85
Foot Pedal <b>FP DCMD 232</b> .....	40418	309,71



## Comparator Gauges

Model	Item No.	EURO
Comparator Gauge <b>Compika 101</b> .....	30001	172,16
Comparator Gauge <b>Compika 101 wa</b> water-protected .....	30005	200,34
Comparator Gauge <b>Compika 101 B</b> .....	30002	172,16
Comparator Gauge <b>Compika 505</b> .....	30006	212,51
Comparator Gauge <b>Compika 505 B</b> .....	30007	212,51
Comparator Gauge <b>Compika 502</b> .....	30008	212,51
Comparator Gauge <b>Compika 502 B</b> .....	30009	212,51
Comparator Gauge <b>Compika 1001</b> .....	30010	210,38
Comparator Gauge <b>Compika 1001 wa</b> water-protected .....	30014	238,62
Comparator Gauge <b>Compika 1001 B</b> .....	30011	210,38
Comparator Gauge <b>Compika 105 Z</b> .....	30015	172,16
Comparator Gauge <b>Compika 502 Z</b> .....	30016	212,51
Comparator Gauge <b>Compika 501 Z</b> .....	30017	212,51
Comparator Gauge <b>Compika 1005 Z</b> .....	30018	210,38



Other models also are available water- and oilproof.

Comparator Gauge <b>Sensikator</b> .....	30150	655,86
--	-------	--------

## Lever Type Dial Test Indicators

Model	Item No.	EURO
<b>Reading 0,01 mm und 0,002 mm</b>		
Dial Test Indicator <b>K 30</b> .....	30025	93,31
Dial Test Indicator <b>K 30/1</b> .....	30067	109,61
Dial Test Indicator <b>K 30/4</b> .....	30085	252,22
Dial Test Indicator <b>K 31</b> .....	30026	127,40
Dial Test Indicator <b>K 32</b> .....	30027	130,38
Dial Test Indicator <b>K 33</b> .....	30028	136,41
Dial Test Indicator <b>K 34</b> .....	30029	144,62



## Lever Type Dial Test Indicators

Model	Item No.	EURO
Dial Test Indicator <b>K 35</b> .....	<b>30030</b>	<b>150,13</b>
Dial Test Indicator <b>K 36</b> .....	<b>30031</b>	<b>113,55</b>
Dial Test Indicator <b>K 37</b> .....	<b>30032</b>	<b>140,49</b>
Dial Test Indicator <b>K 38</b> .....	<b>30033</b>	<b>143,13</b>
Dial Test Indicator <b>K 30 AD</b> .....	<b>30069</b>	<b>134,86</b>
Dial Test Indicator <b>K 33 AD</b> .....	<b>30070</b>	<b>168,95</b>
Dial Test Indicator <b>K 36 AD</b> .....	<b>30071</b>	<b>155,29</b>
Dial Test Indicator <b>K 40</b> .....	<b>30034</b>	<b>96,06</b>
Dial Test Indicator <b>K 40/1</b> .....	<b>30068</b>	<b>112,48</b>
Dial Test Indicator <b>K 40/4</b> .....	<b>30086</b>	<b>268,29</b>
Dial Test Indicator <b>K 41</b> .....	<b>30035</b>	<b>130,27</b>
Dial Test Indicator <b>K 42</b> .....	<b>30036</b>	<b>133,20</b>
Dial Test Indicator <b>K 43</b> .....	<b>30037</b>	<b>139,28</b>
Dial Test Indicator <b>K 44</b> .....	<b>30038</b>	<b>147,49</b>
Dial Test Indicator <b>K 45</b> .....	<b>30039</b>	<b>152,65</b>
Dial Test Indicator <b>K 46</b> .....	<b>30040</b>	<b>116,24</b>
Dial Test Indicator <b>K 47</b> .....	<b>30041</b>	<b>143,30</b>
Dial Test Indicator <b>K 48</b> .....	<b>30042</b>	<b>146,05</b>
Dial Test Indicator <b>K 40 AD</b> .....	<b>30072</b>	<b>112,25</b>
Dial Test Indicator <b>K 43 AD</b> .....	<b>30073</b>	<b>148,63</b>
Dial Test Indicator <b>K 46 AD</b> .....	<b>30074</b>	<b>130,38</b>

Dial Test Indicator <b>Tastboy</b> .....	<b>30019</b>	<b>100,26</b>
--	--------------	---------------

### Reading 0.001 mm

Dial Test Indicator <b>K 49 AD</b> .....	<b>30078</b>	<b>138,59</b>
Dial Test Indicator <b>K 58</b> .....	<b>30077</b>	<b>171,59</b>

### Reading 0.02 mm

Dial Test Indicator <b>K 40/2</b> .....	<b>30064</b>	<b>162,35</b>
---	--------------	---------------

### Inch Reading .0005 and .0001"

Dial Test Indicator <b>K 30 Z</b> .....	<b>30043</b>	<b>103,24</b>
Dial Test Indicator <b>K 31 Z</b> .....	<b>30044</b>	<b>127,40</b>
Dial Test Indicator <b>K 32 Z</b> .....	<b>30045</b>	<b>130,38</b>
Dial Test Indicator <b>K 33 Z</b> .....	<b>30046</b>	<b>136,41</b>
Dial Test Indicator <b>K 34 Z</b> .....	<b>30047</b>	<b>144,62</b>
Dial Test Indicator <b>K 35 Z</b> .....	<b>30048</b>	<b>150,13</b>
Dial Test Indicator <b>K 36 Z</b> .....	<b>30049</b>	<b>122,87</b>
Dial Test Indicator <b>K 37 Z</b> .....	<b>30050</b>	<b>140,49</b>
Dial Test Indicator <b>K 38 Z</b> .....	<b>30051</b>	<b>143,12</b>
Dial Test Indicator <b>K 40 Z</b> .....	<b>30052</b>	<b>106,05</b>
Dial Test Indicator <b>K 41 Z</b> .....	<b>30053</b>	<b>130,27</b>
Dial Test Indicator <b>K 42 Z</b> .....	<b>30054</b>	<b>133,20</b>
Dial Test Indicator <b>K 43 Z</b> .....	<b>30055</b>	<b>139,28</b>
Dial Test Indicator <b>K 44 Z</b> .....	<b>30056</b>	<b>147,49</b>
Dial Test Indicator <b>K 45 Z</b> .....	<b>30057</b>	<b>152,65</b>
Dial Test Indicator <b>K 46 Z</b> .....	<b>30058</b>	<b>125,62</b>
Dial Test Indicator <b>K 47 Z</b> .....	<b>30059</b>	<b>143,30</b>
Dial Test Indicator <b>K 48 Z</b> .....	<b>30060</b>	<b>146,05</b>

### Supports for Dial Test Indicators

Centering Support <b>FH 8</b> .....	<b>50019</b>	<b>35,81</b>
Support <b>no. 1.0958</b> with dovetail clamp .....	<b>50021</b>	<b>16,41</b>
Round Support <b>FH 90</b> with dovetail clamp .....	<b>50022</b>	<b>19,22</b>





## Special Measuring Instruments

Model	Item No.	EURO
Saw Setting Dial Gauge standard version	40005	66,28
Saw Setting Dial Gauge with tungsten carbide feet	40102	109,27
Saw Setting Dial Gauge reading 0,01mm	40041	66,28
Saw Setting Dial Gauge with spherical contact point	40042	66,28
Saw Setting Dial Gauge Model B with pointed contact point	40043	83,61
Saw Setting Dial Gauge Model C with flat contact point dia. 4,8mm	40044	83,61
Saw Setting Dial Gauge K 2/61 with stand feet	40100	85,62
Saw Setting Dial Gauge Z standard version	40006	66,28
Saw Setting Dial Gauge Z with spherical contact point	40046	66,28
Saw Setting Dial Gauge Z Model B with pointed contact point	40047	83,61
Saw Setting Dial Gauge Z Model C with flat contact point dia. 4,8mm	40048	83,61
Quickmess Basis	40015	192,82
Quickmess Maxi	40016	252,56
Quickmess Basis - Big	40034	192,82
Quickmess Maxi - Big	40035	252,56
JKA Precision Gauge	40001	346,22
JKA Precision Gauge S	40003	392,66



Kiper

## Measuring Tables, Magnetic Bases and Magnetic Stands

Model	Item No.	EURO
Measuring Table P 6	50001	278,22
Measuring Table P 6 S	50002	339,45
Measuring Table P 6 K	50026	633,73
Measuring Table P 7	50003	181,06
Measuring Table P 7 K	50025	440,74
Measuring Table P 9	50029	460,59
Measuring Table P 9 HG	50028	828,10
Table Top Stand T 280	50049	317,87
Base for T 280	50050	119,37
Magnetic Stand P 17 without Dial Gauge	50004	190,41
Rods only for Magnetic Stand P 17 (without Magnetic Base)	50023	107,31
Wooden Case for P 17	86005	35,52
Magnetic Stand P 200	50033	280,86
Magnetic Stand P 280	50034	280,86
Magnetic Base PMF 10 for P 17 and P 280	50011	78,51
Magnetic Base P 18	50006	47,92
Magnetic Base P 19	50007	94,57
Magnetic Stand P 20	50014	162,35
Magnetic Base P 22	50017	47,75



## Mechanical Dial Depth Gauges

Model	Item No.	EURO
Dial Depth Gauge TM 5 R	40101	228,29
Dial Depth Gauge TM/2	40008	154,14
Spare Dial Gauge für TM/2	40028	66,28
Dial Depth Gauge TM 2/30	40010	217,50
Spare Dial Gauge für TM 2/30	40029	121,43
Tyre Tread Dial Depth Gauge PTM	40072	89,58
Dial Depth Gauge TZ/2	40009	154,14
Dial Depth Gauge TZ 2/30	40011	217,50
Dial Depth Gauge TU 10	40027	154,14
Dial Depth Gauge TU 30	40021	271,56



## Depth Measuring Bases

Model	Item No.	EURO
<b>Depth Base</b>		
Depth Base <b>TB 50</b> chromium-plated .....	40022	71,73
Depth Base <b>TB 80</b> chromium-plated .....	40023	71,73
Depth Base <b>TB 100</b> chromium-plated .....	40069	71,73
Depth Base <b>TB 120</b> chromium-plated .....	40024	83,10
Depth Base <b>TB 150</b> chromium-plated .....	40068	114,72
Depth Base <b>TB 66 P</b> Triangular Prism, chromium-plated .....	40073	113,46
Depth Base <b>TU 2</b> .....	40025	10,67
Depth Base <b>TB 200</b> burnished .....	40074	236,49
Depth Base <b>TB 250</b> burnished .....	40078	274,31
Depth Base <b>TB 300</b> burnished .....	40075	562,17



## Digital Dial Depth Gauges

Model	Item No.	EURO
Digital Dial Depth Gauge <b>TMD 12</b> .....	40037	428,92
Spare Digital Dial Gauge for <b>TMD 12</b> .....	40039	328,45
Digital Dial Depth Gauge <b>TMD 25</b> .....	40038	468,16
Spare Digital Dial Gauge for <b>TMD 25</b> .....	40040	367,80



## Thickness Measuring Instruments

Model	Item No.	EURO
<b>Reading 0,1 mm</b>		
Thickness Gauge <b>K 15</b> .....	20001	60,61
Thickness Gauge <b>K 15/2</b> .....	20045	69,68
Thickness Gauge <b>K 50</b> .....	20002	124,42
Spare Dial Gauge for K 50 .....	20056	54,85
Thickness Gauge <b>K 50</b> with lifting device .....	20066	124,42
Spare Dial Gauge for K 50 with lifting device .....	20057	54,85
Thickness Gauge <b>K 50/2</b> .....	20003	125,66
Spare Dial Gauge for K 50/2 .....	20058	63,93
Thickness Gauge <b>K 50/2</b> with lifting device .....	20347	125,66
Spare Dial Gauge for K 50/2 with lifting device .....	20348	63,93
Thickness Gauge <b>K 50/3</b> .....	20004	144,27
Spare Dial Gauge for K 50/3 .....	20059	66,47
Thickness Gauge <b>K 50/3</b> with lifting device .....	20349	144,27
Spare Dial Gauge for K 50/3 with lifting device .....	20350	66,47
Thickness Gauge <b>K 50/5</b> .....	20043	218,24
Spare Dial Gauge for K 50/5 .....	20060	160,84
Thickness Gauge <b>K 100</b> .....	20005	163,66
Spare Dial Gauge for K 100 .....	20061	66,47
Thickness Gauge <b>K 200</b> .....	20006	187,74
Thickness Gauge <b>K 200 L</b> .....	20364	197,10
Thickness Gauge <b>K 300</b> .....	20007	221,40
Thickness Gauge <b>K 300/50</b> with lifting device .....	20338	352,59
Spare Dial Gauge for K 300/50 and K600/50 .....	20336	172,05
Thickness Gauge <b>K 400</b> .....	20008	252,68
Spare Dial Gauge for K 200 - K 400 and K 200 L .....	20062	67,66
Thickness Gauge <b>K 600/50</b> .....	20332	518,96
<b>Reading 0,01 mm</b>		
Thickness Gauge <b>J 12</b> .....	20042	124,42
Thickness Gauge <b>J 15</b> .....	20009	121,15
Leather Case for J 15 .....	20010	8,85



## Thickness Measuring Instruments

Käfer



Model	Item No.	EURO
Thickness Gauge <b>J 45</b> .....	20011	139,76
Thickness Gauge <b>J 50</b> .....	20012	143,14
Spare Dial Gauge for J 50 .....	20068	63,93
Thickness Gauge <b>J 50</b> with lifting device .....	20067	143,14
Spare Dial Gauge for J 50 with lifting device .....	20063	63,93
Thickness Gauge <b>J 50 R</b> with side discs .....	20013	269,43
Thickness Gauge <b>J 50 R</b> without side discs .....	20038	269,43
Thickness Gauge <b>J 50 W</b> .....	20039	191,34
Thickness Gauge <b>J 50/30</b> .....	20015	205,10
Spare Dial Gauge for J 50/30 .....	20016	119,75
Thickness Gauge <b>J 50/30</b> with lifting device .....	20076	220,27
Spare Dial Gauge für J 50/30 with lifting device .....	20077	119,75
Thickness Gauge <b>J 50/3 WP</b> according to EN 494 .....	20055	257,53
Thickness Gauge <b>J 100</b> .....	20014	180,29
Spare Dial Gauge for J 100 .....	20078	63,93
Thickness Gauge <b>J 100/30</b> .....	20079	258,94
Thickness Gauge <b>J 200</b> .....	20017	216,83
Spare Dial Gauge for J 200 - J 400 .....	20064	63,93
Thickness Gauge <b>J 200 IP</b> (oil- and water proof) .....	20362	280,70
Spare Dial Gauge for J 200 IP .....	20363	122,50
Thickness Gauge <b>J 200/30</b> .....	20018	288,14
Spare Dial Gauge for J 200/30 .....	20065	119,75
Thickness Gauge <b>J 300</b> .....	20019	263,98
Thickness Gauge <b>J 300/30</b> .....	20313	338,99
Thickness Gauge <b>J 300/50</b> with lifting device .....	20340	419,45
Spare Dial Gauge for J 300/50 .....	20341	178,99
Thickness Gauge <b>J 400</b> .....	20020	296,35
Thickness Gauge <b>J 400/30</b> .....	20312	368,72

### Reading 0,001 mm

Thickness Gauge <b>F 50</b> .....	20080	223,08
Spare Dial Gauge for F 50 .....	20300	131,13
Thickness Gauge <b>F 50 R</b> with side discs .....	20081	344,41
Thickness Gauge <b>F 50 R</b> without side discs .....	20082	344,41
Foil Thickness Gauge <b>F 1000/30</b> .....	20021	263,51
Foil Thickness Gauge <b>F 1101/30</b> with extra accurate movement .....	20069	287,58
Foil Thickness Gauge <b>F 1101/30-0,1</b> with extra accurate movement .....	20301	313,63
Spare Dial Gauge for F 1000/30 with transparent bezel .....	20083	132,66
Spare Dial Gauge for F 1101/30 with transparent bezel .....	20084	217,16

### Inch Reading .01"

Thickness Gauge <b>KZ 15</b> .....	20022	60,32
Thickness Gauge <b>KZ 15/2</b> .....	20085	69,29
Thickness Gauge <b>KZ 50/2</b> .....	20024	125,66
Thickness Gauge <b>KZ 50/3</b> .....	20025	144,27
Thickness Gauge <b>KZ 100</b> .....	20026	163,66
Thickness Gauge <b>KZ 200</b> .....	20027	187,74
Thickness Gauge <b>KZ 300</b> .....	20028	221,40
Thickness Gauge <b>KZ 400</b> .....	20029	252,68

### Inch Reading .001"

Thickness Gauge <b>JZ 12</b> .....	20044	124,42
Thickness Gauge <b>JZ 15</b> .....	20030	121,15
Thickness Gauge <b>JZ 45</b> .....	20031	139,76
Thickness Gauge <b>JZ 50</b> .....	20032	143,14
Thickness Gauge <b>JZ 50</b> with lifting device .....	20070	143,14
Thickness Gauge <b>JZ 50 R</b> with side discs .....	20033	269,43
Thickness Gauge <b>JZ 50 R</b> without side discs .....	20040	269,43
Thickness Gauge <b>JZ 100</b> .....	20035	180,29
Thickness Gauge <b>JZ 200</b> .....	20036	216,04

## Thickness Measuring Instruments

Model	Item No.	EURO
-------	----------	------

### Inch Reading .0001" and .00005"

Thickness Gauge <b>FZ 50</b> .....	<b>20302</b>	<b>213,39</b>
Foil Thickness Gauge <b>F 1000/30 'Z'</b> .....	<b>20037</b>	<b>263,51</b>
Foil Thickness Gauge <b>F 1101/30 'Z'</b> with extra accurate movement .....	<b>20097</b>	<b>287,58</b>

### Mounting Devices

Mounting Device <b>2.1670</b> .....	<b>20050</b>	<b>77,29</b>
Stand-up holder for Thickness Gauges jaw depth 30, 50, 100 mm .....	<b>20337</b>	<b>55,53</b>

## Digital Thickness Measuring Instruments

Model	Item No.	EURO
Digital Thickness Gauge <b>JD 50 TOP</b> .....	<b>20099</b>	<b>294,40</b>
Spare Digital Gauge for JD 50 TOP .....	<b>20100</b>	<b>182,77</b>
Digital Thickness Gauge <b>JD 50</b> with lifting device .....	<b>20048</b>	<b>433,20</b>
Spare Digital Dial Gauge for JD 50 .....	<b>20071</b>	<b>342,77</b>
Digital Thickness Gauge <b>JD 50 W</b> .....	<b>20049</b>	<b>524,98</b>
Digital Thickness Gauge <b>JD 50 R</b> with side discs .....	<b>20086</b>	<b>560,61</b>
Digital Thickness Gauge <b>JD 50 R</b> without side discs .....	<b>20098</b>	<b>560,61</b>
Digital Thickness Gauge <b>JD 50/25</b> with lifting device .....	<b>20087</b>	<b>501,76</b>
Spare Digital Dial Gauge for JD 50/25 .....	<b>20090</b>	<b>387,87</b>
Digital Thickness Gauge <b>JD 100 TOP</b> .....	<b>20325</b>	<b>375,70</b>
Spare Digital Dial Gauge for JD 100 TOP .....	<b>20327</b>	<b>186,10</b>
Digital Thickness Gauge <b>JD 100</b> .....	<b>20051</b>	<b>515,40</b>
Spare Digital Dial Gauge for JD 100 .....	<b>20335</b>	<b>342,77</b>
Digital Thickness Gauge <b>JD 100 R</b> without side discs .....	<b>20088</b>	<b>655,22</b>
Digital Thickness Gauge <b>JD 100/25</b> with lifting device .....	<b>20089</b>	<b>535,92</b>
Spare Digital Dial Gauge for JD 100/25 .....	<b>20091</b>	<b>387,87</b>
Digital Thickness Gauge <b>JD 200 TOP</b> .....	<b>20326</b>	<b>396,56</b>
Spare Digital Dial Gauge for JD 200 TOP .....	<b>20328</b>	<b>186,44</b>
Digital Thickness Gauge <b>JD 200</b> .....	<b>20052</b>	<b>549,62</b>
Spare Digital Dial Gauge for JD 200 - JD 400 .....	<b>20072</b>	<b>345,42</b>
Digital Thickness Gauge <b>JD 200/25</b> .....	<b>20046</b>	<b>596,19</b>
Spare Digital Dial Gauge for JD 200/25 - JD 400/25 .....	<b>20073</b>	<b>391,99</b>
Digital Thickness Gauge <b>JD 300</b> .....	<b>20053</b>	<b>602,97</b>
Digital Thickness Gauge <b>JD 300/25</b> .....	<b>20316</b>	<b>665,47</b>
Thickness Gauge <b>JD 300/50</b> with lifting device .....	<b>20342</b>	<b>1069,53</b>
Spare Dial Gauge for JD 300/50 .....	<b>20343</b>	<b>803,08</b>
Digital Thickness Gauge <b>JD 400</b> .....	<b>20314</b>	<b>652,73</b>
Digital Thickness Gauge <b>JD 400/25</b> .....	<b>20315</b>	<b>697,95</b>
Digital Thickness Gauge <b>FD 50 TOP</b> .....	<b>20329</b>	<b>419,11</b>
Digital Thickness Gauge <b>FD 50</b> with lifting device .....	<b>20054</b>	<b>482,48</b>
Spare Digital Dial Gauge for FD 50 .....	<b>20074</b>	<b>416,68</b>
Digital Thickness Gauge <b>FD 50 R</b> without side discs .....	<b>20092</b>	<b>641,52</b>
Digital Thickness Gauge <b>FD 50/25</b> .....	<b>20093</b>	<b>567,49</b>
Spare Digital Dial Gauge for FD 50/25 .....	<b>20094</b>	<b>455,02</b>
Digital Thickness Gauge <b>FD 100 TOP</b> .....	<b>20330</b>	<b>530,51</b>
Digital Thickness Gauge <b>FD 100</b> .....	<b>20333</b>	<b>573,75</b>
Spare Digital Dial Gauge for FD 100 .....	<b>20334</b>	<b>416,68</b>
Digital Thickness Gauge <b>FD 100/25</b> .....	<b>20095</b>	<b>604,42</b>
Spare Digital Dial Gauge for FD 100/25 .....	<b>20096</b>	<b>455,02</b>
Digital Thickness Gauge <b>FD 200 TOP</b> .....	<b>20331</b>	<b>542,97</b>
Digital Thickness Gauge <b>FD 200</b> .....	<b>20303</b>	<b>605,89</b>
Spare Dial Gauge for FD 200 .....	<b>20323</b>	<b>404,11</b>
Digital Thickness Gauge <b>FD 200/25</b> .....	<b>20047</b>	<b>644,28</b>
Spare Digital Dial Gauge for FD 200/25 .....	<b>20075</b>	<b>459,19</b>
Thickness Gauge <b>FD 300/50</b> with lifting device .....	<b>20344</b>	<b>1148,84</b>
Spare Dial Gauge for FD 300/50 .....	<b>20345</b>	<b>882,34</b>
Digital Foil Thickness Gauge <b>FD 1000/30-3</b> .....	<b>20306</b>	<b>568,90</b>

